

ZELARIS_IP HL-E

Article-No.: 76058

Extension for Control Room Client
for further up to 1024 Channels max.

Mainfeatures

Video Management Software for Network Cameras
Basis Version - Extentible to 16384 Channels
Live display up to 25fps
OPC-Client/Automation and Video Decoder Integrated
Integrated Motion Detection/Channel Programmable

Specialized for Security Control Centre
Recording Capacity Restricted - Max. 1000 Tracks
Server Operation with Max. 2fps
Interface for Facility Management Systems
Zoom Fct. in Live and Playback Operation possible


Specifications

| | |
|---------------------------------------|--|
| Software Kategorie | Video Management |
| Series | eneo Zelaris_IP |
| Operation system | Windows 2003, Windows XP, Windows Vista, Windows 2008, Windows 7 |
| On-screen display | VGA card for display all live pictures |
| Demo version | time limit |
| Hardware recommendation (CPU) | Core2Duo |
| Hardware recommendation (HD capacity) | 120 GB |
| Hardware recommendation (RAM) | 512 |
| Hardware requirement (CPU) | P4 2.8GHz |
| Hardware requirement (HD capacity) | 60 |
| Hardware requirement (RAM) | 512 MB |
| Licensing type | per client |
| Licensing method | Dongle |
| Languages (client) | German, English, French, Italian, Spanish, Portuguese, Czech, Polish |
| Support of mobile units | no |
| Alarm management | OPC-Server, OPC-Client, FTP |

Specifications (continued)

| | |
|------------------------------|--|
| Alarm management | yes |
| Control units (external) | System Keyboard, Mouse, Jog Shuttle, Keyboard |
| Decoder support | no |
| Site maps | yes |
| Multi monitor operation | yes |
| PTZ Support | yes |
| Recording settings | choosable per channel |
| Recording functions | time triggered, permanent, motion detector, contact, OPC |
| Supported network suppliers | Axis, Axis, Axis, eneo, eneo, JVC, Mobotix, Panasonic, Sony, TRenDnet, D-Link, Vivotek, Basler, Lumenera, Dallmeier, Bosch |
| Supported video sources | network camera, digital video recorder, network encoder, analogue camera |
| Support of video grabbers | no |
| Managable video sources max. | 16384 |
| Analysis mode | live, archive |
| Activity detection | yes |
| Card skimming | no |
| Face identification | no |
| Number plate recognition | no |
| Left luggage recognition | no |
| Object classification | no |
| Object tracking | no |
| People loitering | no |
| People counter | no |
| Smoke/fire detection | no |
| Direction detection | no |
| Obstruction detection | yes |
| Product training | available |
| Analysis Functions | Activity detection, Obstruction detection |

Optional Accessories

| Image | Artikel-Nr. / Typ | Description |
|---|-------------------|--|
|  | S-PRO V.2 | Multi-button Jog & Shuttle Multimedia Controller |
| | WS ZELARIS_IP | Training Management Software Zelaris_IP |



Your partner for eneo products:

